Zilla Corporation Premier Solar + NEX[®] Mounting Products

2275 W Midway Blvd, Unit C Broomfield, CO 80020 USA (720) 880-6700 | <u>www.zillarac.com</u>



Double Stud XL Span Tables

60 Cell Modules 24" Rafter Spacing 7/16" OSB

Roof Pitch 0-7 Degree

Interior Wind Zone 1, page 2 Edge Wind Zone 2, page 3 Edge Wind Zone 3, page 4

Roof Pitch 7-27 Degree

Interior Wind Zone 1, page 5 Edge Wind Zone 2, page 6 Edge Wind Zone 3, page 7

Roof Pitch 27-45 Degree

Interior Wind Zone 1, page 8 Edge Wind Zone 2, page 9 Edge Wind Zone 3, page 10





Table 137: Zilla[®] Double Stud XL – 24" Rafter Spacing, 7/16" OSB, 48" Continuous Rail Spans Maximum Module Size 66" x 41"- Typical 60 Cell Module

	Roof Pitch ≤ 7°								
Interior Wind Zone 1									
Exposure	Basic Wind Speed	0 psf Snow Load	10 psf Snow Load	20 psf Snow Load	30 psf Snow Load	40 psf Snow Load			
20	85 mph	standard	standard	standard	custom	custom			
В	90 mph	standard	standard	standard	custom	custom			
(urban/ suburban)	100 mph	standard	standard	standard	custom	custom			
suburban)	110 mph	standard	standard	standard	custom	custom			
	120 mph	standard	standard	standard	custom	custom			
	85 mph	standard	standard	standard	custom	custom			
С	90 mph	standard	standard	standard	custom	custom			
(rural)	100 mph	standard	standard	standard	custom	custom			
	110 mph	standard	standard	standard	custom	custom			
	120 mph	standard	standard	standard	custom	custom			
D	85 mph	standard	standard	standard	custom	custom			
(flat,	90 mph	standard	standard	standard	custom	custom			
unobstructed	100 mph	standard	standard	standard	custom	custom			
areas /	110 mph	standard	standard	standard	custom	custom			
shorelines)	120 mph	standard	standard	standard	custom	custom			

Tabulated values are based upon the following:

a. Building height is less than or equal to 30 feet.

b. Residential gable roofs with roof slope less than or equal to 7 degrees.

c. Maximum photovoltaic module size is 66 inches long by 41 inches wide.

- d. Standard Zilla Double Stud XL spaced at 48" OC assumes photovoltaic modules supported by two continuous rails spanning a maximum of 48" parallel to the short side of the module.
- e. Standard Zilla Double Stud XL design pertains only to the Double Stud XL connection. Design of rails attached to the Double Stud XL and existing structure are outside the scope of this design.
- f. Photovoltaic modules are parallel with the roof slope.
- g. Loads per ASCE 7-10 Minimum Design Loads for Buildings and Other Structures.
- h. ASCE 7-10 Wind Exposure Categories:
 - *i.* Exposure B = Urban and suburban areas, wooded areas, or other terrain with numerous closely spaced obstructions having the size of single-family dwellings or larger.
 - *ii.* Exposure C = Open terrain with scattered obstructions having heights generally less than 30 ft. Includes flat open country and grasslands.

iii. Exposure D = Flat, unobstructed areas and water surfaces. This category includes smooth mud flats, salt flats, and unbroken ice.

- i. ASCE 7-10 Wind Load Parameters:
 - i. Risk Category II
 - ii. Topographic Factor (K_{zt}) = 1.0 [*Note: This value has been set to 1.0 under the assumption that the system is NOT located
 - on the upper half of a hill or ridge or near the crest of an escarpment.]
 - iii. Directionality Factor $(K_d) = 0.85$
- The snow load indicated in the tables is the snow load applied to the modules.
- *k.* Edge Wind Zone is defined by ASCE 7-10 as **a** with **a** being equal to: 10 percent of least horizontal dimension or 0.4h (h = height of building), whichever is smaller, but not less than either 4 percent of least horizontal dimension or 3 feet.

Wind Zones for Gable Roofs with $\vartheta \leq 7^\circ$:






Table 138: Zilla[®] Double Stud XL – 24" Rafter Spacing, 7/16" OSB, 48" Continuous Rail Spans Maximum Module Size 66" x 41"- Typical 60 Cell Module

	Roof Pitch ≤ 7°								
Edge Wind Zone 2									
Exposure	Basic Wind Speed	0 psf Snow Load	10 psf Snow Load	20 psf Snow Load	30 psf Snow Load	40 psf Snow Load			
B	85 mph	standard	standard	standard	custom	custom			
urban/	90 mph	standard	standard	standard	custom	custom			
suburban)	100 mph	standard	standard	standard	custom	custom			
	110 mph	standard	standard	standard	custom	custom			
	120 mph	standard	standard	standard	custom	custom			
	85 mph	standard	standard	standard	custom	custom			
C	90 mph	standard	standard	standard	custom	custom			
(rural)	100 mph	standard	standard	standard	custom	custom			
	110 mph	standard	standard	standard	custom	custom			
michael.	120 mph	standard	standard	standard	custom	custom			
D	85 mph	standard	standard	standard	custom	custom			
(flat,	90 mph	standard	standard	standard	custom	custom			
unobstructed	100 mph	standard	standard	standard	custom	custom			
areas /	110 mph	standard	standard	standard	custom	custom			
shorelines)	120 mph	standard	standard	standard	custom	custom			

Tabulated values are based upon the following:

a. Building height is less than or equal to 30 feet.

b. Residential gable roofs with roof slope less than or equal to 7 degrees.

c. Maximum photovoltaic module size is 66 inches long by 41 inches wide.

- d. Standard Zilla Double Stud XL spaced at 48" OC assumes photovoltaic modules supported by two continuous rails spanning a maximum of 48" parallel to the short side of the module.
- e. Standard Zilla Double Stud XL design pertains only to the Double Stud XL connection. Design of rails attached to the Double Stud XL and existing structure are outside the scope of this design.
- f. Photovoltaic modules are parallel with the roof slope.
- g. Loads per ASCE 7-10 Minimum Design Loads for Buildings and Other Structures.
- h. ASCE 7-10 Wind Exposure Categories:
 - *i.* Exposure B = Urban and suburban areas, wooded areas, or other terrain with numerous closely spaced obstructions having the size of single-family dwellings or larger.
 - *ii.* Exposure C = Open terrain with scattered obstructions having heights generally less than 30 ft. Includes flat open country and grasslands.

iii. Exposure D = Flat, unobstructed areas and water surfaces. This category includes smooth mud flats, salt flats, and unbroken ice.

- i. ASCE 7-10 Wind Load Parameters:
 - i. Risk Category II
 - ii. Topographic Factor (K_{zt}) = 1.0 [*Note: This value has been set to 1.0 under the assumption that the system is NOT located
 - on the upper half of a hill or ridge or near the crest of an escarpment.]
 - iii. Directionality Factor (K_d) = 0.85
- The snow load indicated in the tables is the snow load applied to the modules.
- *k.* Edge Wind Zone is defined by ASCE 7-10 as **a** with **a** being equal to: 10 percent of least horizontal dimension or 0.4h (h = height of building), whichever is smaller, but not less than either 4 percent of least horizontal dimension or 3 feet.

Wind Zones for Gable Roofs with $\vartheta \leq 7^\circ$:






Table 139: Zilla[®] Double Stud XL – 24" Rafter Spacing, 7/16" OSB, 48" Continuous Rail Spans Maximum Module Size 66" x 41"- Typical 60 Cell Module

	Roof Pitch ≤ 7°								
Edge Wind Zone 3									
Exposure	Basic Wind Speed	0 psf Snow Load	10 psf Snow Load	20 psf Snow Load	30 psf Snow Load	40 psf Snow Load			
В	85 mph	standard	standard	standard	custom	custom			
urban/	90 mph	standard	standard	standard	custom	custom			
suburban)	100 mph	standard	standard	standard	custom	custom			
Jubulbully	110 mph	standard	standard	standard	custom	custom			
	120 mph	standard	standard	standard	custom	custom			
	85 mph	standard	standard	standard	custom	custom			
C	90 mph	standard	standard	standard	custom	custom			
(rural)	100 mph	standard	standard	standard	custom	custom			
and the second second	110 mph	custom	custom	custom	custom	custom			
The second second	120 mph	custom	custom	custom	custom	custom			
D	85 mph	standard	standard	standard	custom	custom			
(flat,	90 mph	standard	standard	standard	custom	custom			
unobstructed	100 mph	standard	standard	standard	custom	custom			
areas /	110 mph	custom	custom	custom	custom	custom			
shorelines)	120 mph	custom	custom	custom	custom	custom			

Tabulated values are based upon the following:

a. Building height is less than or equal to 30 feet.

b. Residential gable roofs with roof slope less than or equal to 7 degrees.

c. Maximum photovoltaic module size is 66 inches long by 41 inches wide.

- d. Standard Zilla Double Stud XL spaced at 48" OC assumes photovoltaic modules supported by two continuous rails spanning a maximum of 48" parallel to the short side of the module.
- e. Standard Zilla Double Stud XL design pertains only to the Double Stud XL connection. Design of rails attached to the Double Stud XL and existing structure are outside the scope of this design.
- f. Photovoltaic modules are parallel with the roof slope.
- g. Loads per ASCE 7-10 Minimum Design Loads for Buildings and Other Structures.
- h. ASCE 7-10 Wind Exposure Categories:
 - *i.* Exposure B = Urban and suburban areas, wooded areas, or other terrain with numerous closely spaced obstructions having the size of single-family dwellings or larger.
 - ii. Exposure C = Open terrain with scattered obstructions having heights generally less than 30 ft. Includes flat open country and grasslands.

iii. Exposure D = Flat, unobstructed areas and water surfaces. This category includes smooth mud flats, salt flats, and unbroken ice.

- i. ASCE 7-10 Wind Load Parameters:
 - i. Risk Category II
 - ii. Topographic Factor (K_{zt}) = 1.0 [*Note: This value has been set to 1.0 under the assumption that the system is NOT located
 - on the upper half of a hill or ridge or near the crest of an escarpment.]
 - iii. Directionality Factor $(K_d) = 0.85$
- The snow load indicated in the tables is the snow load applied to the modules.
- *k.* Edge Wind Zone is defined by ASCE 7-10 as **a** with **a** being equal to: 10 percent of least horizontal dimension or 0.4h (h = height of building), whichever is smaller, but not less than either 4 percent of least horizontal dimension or 3 feet.

Wind Zones for Gable Roofs with $\vartheta \leq 7^\circ$:






Table 140: Zilla[®] Double Stud XL – 24" Rafter Spacing, 7/16" OSB, 48" Continuous Rail Spans Maximum Module Size 66" x 41"- Typical 60 Cell Module

	7° < Roof Pitch ≤ 27°								
Interior Wind Zone 1									
Exposure	Basic Wind Speed	0 psf Snow Load	10 psf Snow Load	20 psf Snow Load	30 psf Snow Load	40 psf Snow Load			
20	85 mph	standard	standard	standard	custom	custom			
B	90 mph	standard	standard	standard	custom	custom			
(urban/	100 mph	standard	standard	standard	custom	custom			
suburban)	110 mph	standard	standard	standard	custom	custom			
	120 mph	standard	standard	standard	custom	custom			
	85 mph	standard	standard	standard	custom	custom			
C	90 mph	standard	standard	standard	custom	custom			
(rural)	100 mph	standard	standard	standard	custom	custom			
	110 mph	standard	standard	standard	custom	custom			
and the second	120 mph	standard	standard	standard	custom	custom			
D	85 mph	standard	standard	standard	custom	custom			
(flat,	90 mph	standard	standard	standard	custom	custom			
unobstructed	100 mph	standard	standard	standard	custom	custom			
areas /	110 mph	standard	standard	standard	custom	custom			
shorelines)	120 mph	standard	standard	standard	custom	custom			

Tabulated values are based upon the following:

a. Building height is less than or equal to 30 feet.

b. Residential gable/hip roofs with roof slope greater than 7 degrees and less than or equal to 27 degrees.

c. Maximum photovoltaic module size is 66 inches long by 41 inches wide.

d. Standard Zilla Double Stud XL spaced at 48" OC assumes photovoltaic modules supported by two continuous rails spanning a maximum of 48" parallel to the short side of the module.

e. Standard Zilla Double Stud XL design pertains only to the Double Stud XL connection. Design of rails attached to the Double Stud XL and existing structure are outside the scope of this design.

- f. Photovoltaic modules are parallel with the roof slope.
- g. Loads per ASCE 7-10 Minimum Design Loads for Buildings and Other Structures.
- h. ASCE 7-10 Wind Exposure Categories:
 - *i.* Exposure B = Urban and suburban areas, wooded areas, or other terrain with numerous closely spaced obstructions having the size of single-family dwellings or larger.

ii. Exposure C = Open terrain with scattered obstructions having heights generally less than 30 ft. Includes flat open country and grasslands.

iii. Exposure D = Flat, unobstructed areas and water surfaces. This category includes smooth mud flats, salt flats, and unbroken ice.

ASCE 7-10 Wind Load Parameters:

i.

- i. Risk Category II
- ii. Topographic Factor (K_{t}) = 1.0 [*Note: This value has been set to 1.0 under the assumption that the system is NOT located on the upper half of a hill or ridge or near the crest of an escarpment.]
- iii. Directionality Factor $(K_d) = 0.85$
- *j.* The snow load indicated in the tables is the snow load applied to the modules.

k. Edge Wind Zone is defined by ASCE 7-10 as **a** with **a** being equal to: 10 percent of least horizontal dimension or 0.4h (h = height of building), whichever is smaller, but not less than either 4 percent of least horizontal dimension or 3 feet.

I. Edge Wind Zone 3 shall be treated as Zone 2 for $\vartheta \le 25^\circ$.






Table 141: Zilla[®] Double Stud XL – 24" Rafter Spacing, 7/16" OSB, 48" Continuous Rail Spans Maximum Module Size 66" x 41"- Typical 60 Cell Module

	7° < Roof Pitch ≤ 27°								
	Edge Wind Zone 2								
Exposure	Basic Wind Speed	0 psf Snow Load	10 psf Snow Load	20 psf Snow Load	30 psf Snow Load	40 psf Snow Load			
22	85 mph	standard	standard	standard	custom	custom			
В	90 mph	standard	standard	standard	custom	custom			
(urban/	100 mph	standard	standard	standard	custom	custom			
suburban)	110 mph	standard	standard	standard	custom	custom			
	120 mph	standard	standard	standard	custom	custom			
	85 mph	standard	standard	standard	custom	custom			
С	90 mph	standard	standard	standard	custom	custom			
(rural)	100 mph	standard	standard	standard	custom	custom			
	110 mph	standard	standard	standard	custom	custom			
	120 mph	standard	standard	standard	custom	custom			
D	85 mph	standard	standard	standard	custom	custom			
(flat,	90 mph	standard	standard	standard	custom	custom			
unobstructed	100 mph	standard	standard	standard	custom	custom			
areas /	110 mph	standard	standard	standard	custom	custom			
shorelines)	120 mph	standard	standard	standard	custom	custom			

Tabulated values are based upon the following:

a. Building height is less than or equal to 30 feet.

b. Residential gable/hip roofs with roof slope greater than 7 degrees and less than or equal to 27 degrees.

c. Maximum photovoltaic module size is 66 inches long by 41 inches wide.

d. Standard Zilla Double Stud XL spaced at 48" OC assumes photovoltaic modules supported by two continuous rails spanning a maximum of 48" parallel to the short side of the module.

e. Standard Zilla Double Stud XL design pertains only to the Double Stud XL connection. Design of rails attached to the Double Stud XL and existing structure are outside the scope of this design.

- *f. Photovoltaic modules are parallel with the roof slope.*
- g. Loads per ASCE 7-10 Minimum Design Loads for Buildings and Other Structures.
- h. ASCE 7-10 Wind Exposure Categories:
 - *i.* Exposure B = Urban and suburban areas, wooded areas, or other terrain with numerous closely spaced obstructions having the size of single-family dwellings or larger.

ii. Exposure C = Open terrain with scattered obstructions having heights generally less than 30 ft. Includes flat open country and grasslands.

iii. Exposure D = Flat, unobstructed areas and water surfaces. This category includes smooth mud flats, salt flats, and unbroken ice.

ASCE 7-10 Wind Load Parameters:

i.

- i. Risk Category II
- ii. Topographic Factor (K_{xt}) = 1.0 [*Note: This value has been set to 1.0 under the assumption that the system is NOT located on the upper half of a hill or ridge or near the crest of an escarpment.]
- iii. Directionality Factor (K_d) = 0.85
- *j.* The snow load indicated in the tables is the snow load applied to the modules.

k. Edge Wind Zone is defined by ASCE 7-10 as **a** with **a** being equal to: 10 percent of least horizontal dimension or 0.4h (h = height of building), whichever is smaller, but not less than either 4 percent of least horizontal dimension or 3 feet.

I. Edge Wind Zone 3 shall be treated as Zone 2 for $\vartheta \le 25^\circ$.






Table 142: Zilla[®] Double Stud XL – 24" Rafter Spacing, 7/16" OSB, 48" Continuous Rail Spans Maximum Module Size 66" x 41"- Typical 60 Cell Module

	7° < Roof Pitch ≤ 27°								
Edge Wind Zone 3									
Exposure	Basic Wind Speed	0 psf Snow Load	10 psf Snow Load	20 psf Snow Load	30 psf Snow Load	40 psf Snow Load			
2	85 mph	standard	standard	standard	custom	custom			
B (urban/	90 mph	standard	standard	standard	custom	custom			
suburban)	100 mph	standard	standard	standard	custom	custom			
suburbally	110 mph	standard	standard	standard	custom	custom			
	120 mph	standard	standard	standard	custom	custom			
6	85 mph	standard	standard	standard	custom	custom			
C	90 mph	standard	standard	standard	custom	custom			
(rural)	100 mph	standard	standard	standard	custom	custom			
	110 mph	custom	custom	custom	custom	custom			
	120 mph	custom	custom	custom	custom	custom			
D	85 mph	standard	standard	standard	custom	custom			
(flat,	90 mph	standard	standard	standard	custom	custom			
unobstructed	100 mph	custom	custom	custom	custom	custom			
areas /	110 mph	custom	custom	custom	custom	custom			
shorelines)	120 mph	custom	custom	custom	custom	custom			

Tabulated values are based upon the following:

a. Building height is less than or equal to 30 feet.

b. Residential gable/hip roofs with roof slope greater than 7 degrees and less than or equal to 27 degrees.

c. Maximum photovoltaic module size is 66 inches long by 41 inches wide.

d. Standard Zilla Double Stud XL spaced at 48" OC assumes photovoltaic modules supported by two continuous rails spanning a maximum of 48" parallel to the short side of the module.

e. Standard Zilla Double Stud XL design pertains only to the Double Stud XL connection. Design of rails attached to the Double Stud XL and existing structure are outside the scope of this design.

- *f. Photovoltaic modules are parallel with the roof slope.*
- g. Loads per ASCE 7-10 Minimum Design Loads for Buildings and Other Structures.
- h. ASCE 7-10 Wind Exposure Categories:
 - *i.* Exposure B = Urban and suburban areas, wooded areas, or other terrain with numerous closely spaced obstructions having the size of single-family dwellings or larger.

ii. Exposure C = Open terrain with scattered obstructions having heights generally less than 30 ft. Includes flat open country and grasslands.

iii. Exposure D = Flat, unobstructed areas and water surfaces. This category includes smooth mud flats, salt flats, and unbroken ice.

ASCE 7-10 Wind Load Parameters:

i.

- i. Risk Category II
- ii. Topographic Factor (K_{zt}) = 1.0 [*Note: This value has been set to 1.0 under the assumption that the system is NOT located on the upper half of a hill or ridge or near the crest of an escarpment.]
- iii. Directionality Factor (K_d) = 0.85
- *j.* The snow load indicated in the tables is the snow load applied to the modules.

k. Edge Wind Zone is defined by ASCE 7-10 as **a** with **a** being equal to: 10 percent of least horizontal dimension or 0.4h (h = height of building), whichever is smaller, but not less than either 4 percent of least horizontal dimension or 3 feet.

I. Edge Wind Zone 3 shall be treated as Zone 2 for $\vartheta \le 25^\circ$.






Table 143: Zilla[®] Double Stud XL – 24" Rafter Spacing, 7/16" OSB, 48" Continuous Rail Spans Maximum Module Size 66" x 41"- Typical 60 Cell Module

	27° < Roof Pitch ≤ 45°								
	Interior Wind Zone 1								
Exposure	Basic Wind Speed	0 psf Snow Load	10 psf Snow Load	20 psf Snow Load	30 psf Snow Load	40 psf Snow Load			
20	85 mph	standard	standard	standard	custom	custom			
В	90 mph	standard	standard	standard	custom	custom			
(urban/	100 mph	standard	standard	standard	custom	custom			
suburban)	110 mph	standard	standard	standard	custom	custom			
	120 mph	standard	standard	standard	custom	custom			
	85 mph	standard	standard	standard	custom	custom			
С	90 mph	standard	standard	standard	custom	custom			
(rural)	100 mph	standard	standard	standard	custom	custom			
-	110 mph	standard	standard	standard	custom	custom			
and the second	120 mph	standard	standard	custom	custom	custom			
D	85 mph	standard	standard	standard	custom	custom			
(flat,	90 mph	standard	standard	standard	custom	custom			
unobstructed	100 mph	standard	standard	standard	custom	custom			
areas /	110 mph	standard	standard	custom	custom	custom			
shorelines)	120 mph	standard	standard	custom	custom	custom			

Tabulated values are based upon the following:

a. Building height is less than or equal to 30 feet.

b. Residential gable roofs with roof slope greater than 27 degrees and less than or equal to 45 degrees.

c. Maximum photovoltaic module size is 66 inches long by 41 inches wide.

- d. Standard Zilla Double Stud XL spaced at 48" OC assumes photovoltaic modules supported by two continuous rails spanning a maximum of 48" parallel to the short side of the module.
- e. Standard Zilla Double Stud XL design pertains only to the Double Stud XL connection. Design of rails attached to the Double Stud XL and existing structure are outside the scope of this design.
- f. Photovoltaic modules are parallel with the roof slope.
- g. Loads per ASCE 7-10 Minimum Design Loads for Buildings and Other Structures.
- h. ASCE 7-10 Wind Exposure Categories:
 - i. Exposure B = Urban and suburban areas, wooded areas, or other terrain with numerous closely spaced obstructions having the size of single-family dwellings or larger.
 - *ii.* Exposure C = Open terrain with scattered obstructions having heights generally less than 30 ft. Includes flat open country and grasslands.

iii. Exposure D = Flat, unobstructed areas and water surfaces. This category includes smooth mud flats, salt flats, and unbroken ice.

- i. ASCE 7-10 Wind Load Parameters:
 - i. Risk Category II
 - ii. Topographic Factor (K_{xt}) = 1.0 [*Note: This value has been set to 1.0 under the assumption that the system is NOT located on the upper half of a hill or ridge or near the crest of an escarpment.]
 - iii. Directionality Factor $(K_d) = 0.85$
- *j.* The snow load indicated in the tables is the snow load applied to the modules.
- k. Edge Wind Zone is defined by ASCE 7-10 as **a** with **a** being equal to: 10 percent of least horizontal dimension or 0.4h (h = height of building), whichever is smaller, but not less than either 4 percent of least horizontal dimension or 3 feet.

Wind Zones for Gable Roofs with $27^{\circ} < \vartheta \le 45^{\circ}$:






Table 144: Zilla[®] Double Stud XL – 24" Rafter Spacing, 7/16" OSB, 48" Continuous Rail Spans Maximum Module Size 66" x 41"- Typical 60 Cell Module

	27° < Roof Pitch ≤ 45°								
	Edge Wind Zone 2								
Exposure	Basic Wind Speed	0 psf Snow Load	10 psf Snow Load	20 psf Snow Load	30 psf Snow Load	40 psf Snow Load			
20 -	85 mph	standard	standard	standard	custom	custom			
В	90 mph	standard	standard	standard	custom	custom			
(urban/	100 mph	standard	standard	standard	custom	custom			
suburban)	110 mph	standard	standard	standard	custom	custom			
11 二、第2	120 mph	standard	standard	standard	custom	custom			
	85 mph	standard	standard	standard	custom	custom			
С	90 mph	standard	standard	standard	custom	custom			
(rural)	100 mph	standard	standard	standard	custom	custom			
	110 mph	standard	standard	standard	custom	custom			
a market water	120 mph	standard	standard	custom	custom	custom			
D	85 mph	standard	standard	standard	custom	custom			
(flat,	90 mph	standard	standard	standard	custom	custom			
unobstructed	100 mph	standard	standard	standard	custom	custom			
areas /	110 mph	standard	standard	custom	custom	custom			
shorelines)	120 mph	standard	standard	custom	custom	custom			

Tabulated values are based upon the following:

a. Building height is less than or equal to 30 feet.

b. Residential gable roofs with roof slope greater than 27 degrees and less than or equal to 45 degrees.

c. Maximum photovoltaic module size is 66 inches long by 41 inches wide.

- d. Standard Zilla Double Stud XL spaced at 48" OC assumes photovoltaic modules supported by two continuous rails spanning a maximum of 48" parallel to the short side of the module.
- e. Standard Zilla Double Stud XL design pertains only to the Double Stud XL connection. Design of rails attached to the Double Stud XL and existing structure are outside the scope of this design.
- f. Photovoltaic modules are parallel with the roof slope.
- g. Loads per ASCE 7-10 Minimum Design Loads for Buildings and Other Structures.
- h. ASCE 7-10 Wind Exposure Categories:
 - i. Exposure B = Urban and suburban areas, wooded areas, or other terrain with numerous closely spaced obstructions having the size of single-family dwellings or larger.
 - *ii.* Exposure C = Open terrain with scattered obstructions having heights generally less than 30 ft. Includes flat open country and grasslands.

iii. Exposure D = Flat, unobstructed areas and water surfaces. This category includes smooth mud flats, salt flats, and unbroken ice.

- i. ASCE 7-10 Wind Load Parameters:
 - i. Risk Category II
 - ii. Topographic Factor (K_{xt}) = 1.0 [*Note: This value has been set to 1.0 under the assumption that the system is NOT located on the upper half of a hill or ridge or near the crest of an escarpment.]
 - iii. Directionality Factor $(K_d) = 0.85$
- *j.* The snow load indicated in the tables is the snow load applied to the modules.
- k. Edge Wind Zone is defined by ASCE 7-10 as **a** with **a** being equal to: 10 percent of least horizontal dimension or 0.4h (h = height of building), whichever is smaller, but not less than either 4 percent of least horizontal dimension or 3 feet.

Wind Zones for Gable Roofs with $27^{\circ} < \vartheta \le 45^{\circ}$:






Table 145: Zilla[®] Double Stud XL – 24" Rafter Spacing, 7/16" OSB, 48" Continuous Rail Spans Maximum Module Size 66" x 41"- Typical 60 Cell Module

	27° < Roof Pitch ≤ 45°								
Edge Wind Zone 3									
Exposure	Basic Wind Speed	0 psf Snow Load	10 psf Snow Load	20 psf Snow Load	30 psf Snow Load	40 psf Snow Load			
	85 mph	standard	standard	standard	custom	custom			
В	90 mph	standard	standard	standard	custom	custom			
(urban/	100 mph	standard	standard	standard	custom	custom			
suburban)	110 mph	standard	standard	standard	custom	custom			
	120 mph	standard	standard	standard	custom	custom			
	85 mph	standard	standard	standard	custom	custom			
C	90 mph	standard	standard	standard	custom	custom			
(rural)	100 mph	standard	standard	standard	custom	custom			
and the second	110 mph	standard	standard	standard	custom	custom			
	120 mph	standard	standard	custom	custom	custom			
D	85 mph	standard	standard	standard	custom	custom			
(flat,	90 mph	standard	standard	standard	custom	custom			
unobstructed	100 mph	standard	standard	standard	custom	custom			
areas /	110 mph	standard	standard	custom	custom	custom			
shorelines)	120 mph	standard	standard	custom	custom	custom			

Tabulated values are based upon the following:

a. Building height is less than or equal to 30 feet.

b. Residential gable roofs with roof slope greater than 27 degrees and less than or equal to 45 degrees.

c. Maximum photovoltaic module size is 66 inches long by 41 inches wide.

- d. Standard Zilla Double Stud XL spaced at 48" OC assumes photovoltaic modules supported by two continuous rails spanning a maximum of 48" parallel to the short side of the module.
- e. Standard Zilla Double Stud XL design pertains only to the Double Stud XL connection. Design of rails attached to the Double Stud XL and existing structure are outside the scope of this design.
- f. Photovoltaic modules are parallel with the roof slope.
- g. Loads per ASCE 7-10 Minimum Design Loads for Buildings and Other Structures.
- h. ASCE 7-10 Wind Exposure Categories:
 - i. Exposure B = Urban and suburban areas, wooded areas, or other terrain with numerous closely spaced obstructions having the size of single-family dwellings or larger.
 - *ii.* Exposure C = Open terrain with scattered obstructions having heights generally less than 30 ft. Includes flat open country and grasslands.

iii. Exposure D = Flat, unobstructed areas and water surfaces. This category includes smooth mud flats, salt flats, and unbroken ice.

- i. ASCE 7-10 Wind Load Parameters:
 - i. Risk Category II
 - ii. Topographic Factor (K_{xt}) = 1.0 [*Note: This value has been set to 1.0 under the assumption that the system is NOT located on the upper half of a hill or ridge or near the crest of an escarpment.]
 - iii. Directionality Factor $(K_d) = 0.85$
- *j.* The snow load indicated in the tables is the snow load applied to the modules.
- k. Edge Wind Zone is defined by ASCE 7-10 as **a** with **a** being equal to: 10 percent of least horizontal dimension or 0.4h (h = height of building), whichever is smaller, but not less than either 4 percent of least horizontal dimension or 3 feet.

Wind Zones for Gable Roofs with $27^{\circ} < \vartheta \le 45^{\circ}$:

